

MAGNA-FOREMOST MOULDED DOOR SKIN



SAMLING

MAGNA-FOREMOST

MOULDED DOOR SKIN

Global Expertise. Engineered Elegance. Inspired by Nature!



Every door at Samling Magna-Foremost tells a story rooted in a global legacy, technological superiority, and respect for nature. As part of the globally recognised Samling Group, we offer decades of experience.

We offer sustainable forestry, wood-based innovation, and engineered wood solutions for the Indian market.

Samling's global journey involves maintaining around 800,000 hectares of natural forests and 67,500 certified ITP (FPMU) and providing premium timber products to discerning customers in Asia, Europe, and beyond. With unparalleled knowledge and commitment,

Samling Magna-Foremost Moulded Door Skin combines worldwide craftsmanship with local relevance, catering to India's developing architectural and design needs.

WHY CHOOSE MF DOORSKIN?

Our moulded door skins are made with precision-engineered technology to mimic the natural grain, depth, and warmth of real wood, without sacrificing strength or durability. The result? A surface that looks upscale and functions well in real-world settings.

Aesthetic versatility

Our designs, ranging from classic wood treatments to contemporary textures, suit various interior types, including residential, commercial, and institutional spaces.

Sustainable Material

Designed to endure wear, humidity, and climatic changes, our moulded door skins offer longer life and lower maintenance.


Environmentally Responsible Manufacturing

Our goods, sourced from responsibly managed forests, satisfy worldwide sustainability standards, making them ideal for future-minded customers.

Simple to use

The uniform thickness and exceptional finish simplify installation for door manufacturers, carpenters, and fabricators, saving time and minimising waste.

MAGNA FOREMOST MDS MANUFACTURING PROCESS



TECHNICAL EXCELLENCE

High-Density Structure

Made from selected plantation tropical hardwoods, the skin and fibre core provide high density for increased strength and impact resistance.

No Fungal Growth

Designed to resist fungal and microbial growth for long-term cleanliness and stability.

Imprint-Resilient Surface

Decorative imprints or embossing do not damage skin. It maintains strength and quality despite extensive detailing.

Low Emission, Health-Safe

Certified for E1 emission levels, assuring minimum formaldehyde release for a healthier interior environment.

ENGINEERED FOR INDIA, TRUSTED WORLDWIDE!

Engineered for India, Trusted Worldwide Magna-Foremost Moulded Door Skins are created to fulfil Indian consumers' aesthetic expectations while exceeding international quality and consistency criteria. Our moulded door skins provide a diverse solution for high-rise apartments, boutique hotels, office complexes, and premium villas. makes every door more valuable. We know a door is more than an entry—it's a statement. Samling Magna-Foremost Moulded Door Skins embody quality, beauty, sustainability and durability.



INNOVO



PATENTED DESIGN

*All pictures shown are for illustration purposes only.



THICKNESS

3 MM

LENGTH METRIC (mm)

Length	Width	Central Pnl	Pnl Height	Top Rail	Bottom Rail
2152	772-924	940	1685	234	234
2152	1020-1070	939	1683	235	235
2420	695	918	1681	370	370
2420	1140	938	1683	369	369

WIDTH METRIC (mm)

A	B	C	D	(TPW)
695	99	497	117	497
772	112	549	177	549
874	163	549	177	549
924	188	549	177	549
1020	236	549	177	549
1070	261	549	177	549
1140	296	549	177	549

APPLICATION



Bedroom



Entrance



Commercial

AVAILABLE IN



Single Leaf



Double Equal Leaf




Unequal Leaf

*TPW - Total Panel Width

HARMONY DESIGN TEXTURE



*All pictures shown are for illustration purposes only.



LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	695	1372	390	390
2152	772	1372	390	390
2152	874	1372	390	390
2152	924	1372	390	390
2152	1020	1372	390	390
2152	1070	1372	390	390
2420	695	1372	524	524
2420	772	1372	524	524
2420	1020	1372	524	524
2420	1070	1372	524	524

WIDTH METRIC (mm)

A	B	C
695	138	420
772	176	420
874	172	530
924	197	530
1020	185	650
1070	210	650

APPLICATION



Bedroom



Entrance



Commercial

AVAILABLE IN



Single
Leaf



Double
Equal
Leaf



Unequal
Leaf

*TPW - Total Panel Width

TRU OAK



*All pictures shown are for illustration purposes only.



THICKNESS

3 MM

LENGTH METRIC (mm)

Length	Width
2152	1830
2420	1830

WIDTH METRIC (mm)

A
1830

APPLICATION

 Bedroom

 Entrance

 Commercial

AVAILABLE IN

 Single Leaf

 Double Equal Leaf

 Unequal Leaf

*TPW - Total Panel Width

ELEGANCE



*All pictures shown are for illustration purposes only.



THICKNESS

3 MM

LENGTH METRIC (mm)

Length	Width
2152	620
2152	695
2152	721
2152	772
2152	874
2152	924
2152	1020
2152	1070
2152	1830
2420	940
2420	1830

WIDTH METRIC (mm)

Width	No. of Crown
620	2
695	3
721	3
772	3
874	3
924	3
1020	4
1070	5
1830	7

APPLICATION

 Bedroom

 Entrance

 Commercial

AVAILABLE IN

 Single Leaf

 Double Equal Leaf

 Unequal Leaf

*TPW - Total Panel Width

1 PANEL GRANDEUR (TEXTURE)



*All pictures shown are for illustration purposes only.



LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	695	1679	203	270
2152	772	1679	203	270
2152	823	1679	203	270
2152	874	1679	203	270
2152	924	1679	203	270
2152	1020	1679	203	270
2152	1070	1679	203	270

WIDTH METRIC (mm)

A	B	C (TPW)	D
695	138	420	None
772	176	420	None
823	147	530	None
874	172	530	None
924	197	530	None
1020	185	650	None
1070	210	650	None

APPLICATION



Bedroom



Entrance



Commercial

AVAILABLE IN



Single
Leaf



Double
Equal
Leaf




Unequal
Leaf

*TPW - Total Panel Width

BENISON - 2 PANEL SQUARE OAK TEXTURE



*All pictures shown are for illustration purposes only.



LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	695	1699	183	270
2152	721	1699	183	270
2152	772	1699	183	270
2152	823	1699	183	270
2152	874	1699	183	270

WIDTH METRIC (mm)

A	B	C (TPW)	D
695	119	458	none
721	132	458	none
772	157	458	none
823	123	578	none
874	148	578	none

APPLICATION



Bedroom



Entrance



Commercial

AVAILABLE IN



Single
Leaf



Double
Equal
Leaf



Unequal
Leaf

*TPW - Total Panel Width

CASPIAN - 2 PANEL OAK TEXTURE



*All pictures shown are for illustration purposes only.




LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	620	1699	158	295
2152	695	1699	158	295
2152	721	1699	158	295
2152	772	1699	158	295
2152	823	1699	158	295
2152	874	1699	158	295
2152	924	1699	158	295
2152	970	1699	158	295
2152	1020	1699	158	295
2152	1070	1699	158	295


WIDTH METRIC (mm)

A	B	C (TPW)
620	121	379
695	158	379
721	132	458
772	138	496
823	123	578
874	148	578
924	173	578
970	168	634
1020	193	634
1070	218	634

APPLICATION




AVAILABLE IN



*TPW - Total Panel Width

2 PANEL HORIZON TEXTURED





LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	620	1677	205	270
2152	695	1677	205	270
2152	721	1677	205	270
2152	772	1677	205	270
2152	823	1677	205	270
2152	874	1677	205	270
2152	924	1677	205	270
2152	970	1677	205	270
2152	1020	1677	205	270
2152	1070	1677	205	270

WIDTH METRIC (mm)

A	B	C (TPW)	D
620	106	408	none
695	144	408	none
721	131	460	none
772	156	460	none
823	182	460	none
874	207	460	none
924	232	460	none
970	195	580	none
1020	220	580	none
1070	245	580	none

APPLICATION



Bedroom



Entrance



Commercial

AVAILABLE IN



Single
Leaf



Double
Equal
Leaf




Unequal
Leaf

*TPW - Total Panel Width

2 PANEL BRISTOL



*All pictures shown are for illustration purposes only.



THICKNESS

3 MM

LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	695	1622	260	270
2152	772	1622	260	270
2152	823	1622	260	270
2152	874	1622	260	270
2152	924	1622	260	270
2152	1020	1622	260	270
2152	1070	1622	260	270
2152	1140	1622	260	270

WIDTH METRIC (mm)

A	B	C (TPW)	D
695	138	420	None
772	176	420	None
823	147	530	None
874	172	530	None
924	197	530	None
1020	185	650	None
1070	210	650	None
1140	209	723	None

APPLICATION



Bedroom



Entrance



Commercial

AVAILABLE IN



Single
Leaf



Double
Equal
Leaf



Unequal
Leaf

*TPW - Total Panel Width

BALTIC - 3 PANEL OAK TEXTURE



*All pictures shown are for illustration purposes only.



LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	620	1725	156	270
2152	695	1725	156	270
2152	721	1725	156	270
2152	772	1725	156	270
2152	823	1725	156	270
2152	874	1725	156	270
2152	924	1725	156	270

WIDTH METRIC (mm)

A	B	C (TPW)	D
620	111	399	none
695	148	399	none
721	111	499	none
772	137	499	none
823	112	599	none
874	138	599	none
924	113	699	none

APPLICATION



Bedroom



Entrance



Commercial

AVAILABLE IN



Single
Leaf



Double
Equal
Leaf



Unequal
Leaf

*TPW - Total Panel Width

3 PANEL OVAL



*All pictures shown are for illustration purposes only.



LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	620	1680	202	270
2152	695	1680	202	270
2152	772	1680	202	270
2152	823	1680	202	270
2152	874	1680	202	270
2152	924	1680	202	270
2152	1020	1680	202	270
2152	1070	1680	202	270

WIDTH METRIC (mm)

A	B	C (TPW)	D
620	100	420	None
695	138	420	None
772	176	420	None
823	147	530	None
874	172	530	None
924	197	530	None
1020	185	650	None
1070	210	650	None

APPLICATION



Bedroom



Entrance



Commercial

AVAILABLE IN



Single
Leaf



Double
Equal
Leaf




Unequal
Leaf

*TPW - Total Panel Width

TASMAN - 4 PANEL SQUARE OAK TEXTURE



*All pictures shown are for illustration purposes only.



THICKNESS

3 MM

LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	620	1716	166	270
2152	670	1716	166	270
2152	721	1716	166	270
2152	772	1716	166	270
2152	823	1716	166	270
2152	874	1716	166	270
2152	924	1716	166	270
2152	1020	1716	166	270

WIDTH METRIC (mm)

A	B	C	D	TPW
620	111	151	98	399
670	136	151	98	399
695	148	151	98	399
721	110	202	98	501
772	111	227	98	551
772	136	202	98	501
823	111	252	98	602
874	136	252	98	602
874	162	227	98	551
924	111	303	98	703
937	193	227	98	551
1020	159	303	98	703

APPLICATION



Bedroom



Entrance



Commercial

AVAILABLE IN



Single
Leaf



Double
Equal
Leaf




Unequal
Leaf

*TPW - Total Panel Width

OCEANIC - 4 PANEL OAK TEXTURE



*All pictures shown are for illustration purposes only.



LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	695	1697	185	270
2152	721	1697	185	270
2152	823	1697	185	270
2152	874	1697	185	270
2152	970	1697	185	270
2152	1020	1697	185	270
2152	1070	1697	185	270

WIDTH METRIC (mm)

A	B	C	D	TPW
695	99	199	99	497
721	112	199	99	497
772	138	199	99	497
823	112	250	99	599
874	138	250	99	599
924	163	250	99	599
970	134	302	99	703
1020	159	302	99	703
1070	184	302	99	703

APPLICATION



Bedroom



Entrance



Commercial

AVAILABLE IN



Single
Leaf



Double
Equal
Leaf



Unequal
Leaf

*TPW - Total Panel Width

MEDITERRANEAN - 4 PANEL MAHOGANY TEXTURE



*All pictures shown are for illustration purposes only.



LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	620	1679	178	295
2152	695	1679	178	295
2152	721	1679	178	295
2152	772	1679	178	295
2152	823	1679	178	295
2152	874	1679	178	295
2152	924	1679	178	295
2152	970	1679	178	295
2152	1020	1679	178	295
2152	1070	1679	178	295

WIDTH METRIC (mm)

A	B	C	D	TPW
620	132	133	89	356
695	170	133	89	356
721	132	184	89	457
772	157	184	89	457
823	138	224	98	546
874	164	224	98	546
924	189	224	98	546
970	174	258	107	622
1020	199	258	107	622
1070	224	258	107	622

APPLICATION

 Bedroom

 Entrance

 Commercial

AVAILABLE IN

 Single Leaf

 Double Equal Leaf


 Unequal Leaf

*TPW - Total Panel Width

PACIFIC - 6 PANEL PINE TEXTURE



*All pictures shown are for illustration purposes only.



THICKNESS

3 MM

LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	620	1715	165	270
2152	695	1715	165	270
2152	721	1715	165	270
2152	772	1715	165	270
2152	823	1715	165	270
2152	874	1715	165	270
2152	924	1715	165	270
2152	970	1715	165	270
2152	1020	1715	165	270
2152	1070	1715	165	270

WIDTH METRIC (mm)

A	B	C	D	TPW
416	119	178	-	178
467	87	292	-	292
518	113	292	-	292
620	113	148	98	394
695	151	148	98	394
721	113	199	98	495
772	113	224	98	546
772	138	199	98	495
823	113	249	98	597
874	139	249	98	597
874	164	224	98	546
924	164	249	98	597
970	136	300	98	699
1020	161	300	98	699
1070	186	300	98	699

APPLICATION



Bedroom



Entrance



Commercial

AVAILABLE IN



Single
Leaf



Double
Equal
Leaf



Unequal
Leaf

*TPW - Total Panel Width

6 PANEL CLIFTON



*All pictures shown are for illustration purposes only.



LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	695	1680	236	236
2152	772	1680	236	236
2152	823	1680	236	236
2152	874	1680	236	236
2152	924	1680	236	236
2152	1020	1680	236	236
2152	1070	1680	236	236
2152	1140	1680	236	236

WIDTH METRIC (mm)

A	B	C (TPW)	D
695	138	420	None
772	176	420	None
823	147	530	None
874	172	530	None
924	197	530	None
1020	185	650	None
1070	210	650	None
1140	209	723	None

APPLICATION

 Bedroom

 Entrance

 Commercial

AVAILABLE IN

 Single Leaf


 Double Equal Leaf

 Unequal Leaf

*TPW - Total Panel Width

7 PANEL MUMBAIYA TEXTURED





LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	695	1680	202	270
2152	772	1680	202	270
2152	823	1680	202	270
2152	874	1680	202	270
2152	924	1680	202	270
2152	1020	1680	202	270
2152	1070	1680	202	270

APPLICATION

WIDTH METRIC (mm)

A	B	C (TPW)	D
695	137	420	None
772	176	420	None
823	147	530	None
874	172	530	None
924	197	530	None
1020	185	650	None
1070	210	650	None

APPLICATION



Bedroom



Entrance



Commercial

AVAILABLE IN



Single
Leaf



Double
Equal
Leaf




Unequal
Leaf

*TPW - Total Panel Width

8 PANEL NEW (MULTI WIDTH)



*All pictures shown are for illustration purposes only.



LENGTH METRIC (mm)

Length	Width	Panel ht	Top Rail	Bottom Rail
2152	874	1752	200	200

WIDTH METRIC (mm)

A	B	C	D	TPW
874	164	236	75	546

APPLICATION

 Bedroom

 Entrance

 Commercial

AVAILABLE IN

 Single Leaf

 Double Equal Leaf

 Unequal Leaf

*TPW - Total Panel Width



SAMLING

Samling Group Company

Xylos Arteriors India Pvt. Ltd.

**G - 01 & 02, Suyog Industrial Estate, Near Home Town,
LBS Marg, Vikhroli West, Mumbai - 400083**

☎ +91 22 25775558/9

🌐 www.xylosindia.in